

EMINENT Easy Pro View IP Cameras

Fully app controlled video surveillance



- ✓ Ready to use in 3 steps
- ✓ Configuration and control with app: no computer required
- ✓ Dual lens technology: perfect images both day and night
- ✓ Reliable alarm notifications due to PIR technology
- ✓ Push notifications: a direct message during an alarm
- ✓ Both detecting AND recording
- ✓ 5 Seconds pre-recording: critical moment is caught on camera
- ✓ Two-way voice communication
- ✓ Use it as a baby monitor too
- ✓ P2P technology

Download on the
App Store

ANDROID APP ON
Google play

The perfect video surveillance for your home and small office.

The Easy Pro View IP Cameras are the perfect video surveillance for your home and small office. Install the cameras in only 3 steps. Configure and control the cameras with the Easy Pro View app. The dual-lens technology takes care of a clear view both day and night. A push notification is send during an alarm, which allows to view also the images prior the alarm. All important moments are caught on camera. Moreover, no subscription fees are charged.



Ready to use in 3 steps

The Easy Pro IP Cameras are ready to use in 3 steps. Connect the IP Camera to your network. Download the app on your smartphone or tablet. Fill out your username and password. You can find them on the supplied card. After completing these steps you are able to access the IP Camera via internet from every location. Knowledge of network settings is not necessary.



P2P technology

Watch the camera images all over the world. With the Easy Pro View IP Camera range this is easy because they operate via P2P. No difficult network/router settings are required: no port forwarding, no DDNS. Only an ID and password are necessary.




Easy Pro View Features



Camera configuration and controlling with app: no computer required

Configure and control the Easy Pro View IP Cameras with the special iOS and Android app on your tablet or smartphone. Control all functions of the cameras with the app.



Dual lens technology: perfect images both day and night

The Easy Pro View IP Cameras are equipped with two dedicated lenses: one day and one night lens. The camera switches automatically or with a self-made schedule between the day and night lens. You will always have perfect images. Both EM6250HD and EM6270 are equipped with a HD day and night lens for even sharper images.



Monitor every corner in your room with the pan/tilt functionality

Control the EM6270 with the Easy Pro View app. Swipe your fingers over the screen of your tablet or smartphone to move the camera in the direction you want. You observe a wider area than with a fixed IP Camera.



Reliable alarm notifications due to PIR technology

The special PIR sensor only senses objects which radiate body heat. This PIR sensor takes care of the good reliability of the alarm notifications.



Push notifications: a direct message during an alarm

When the IP Camera detects movement or sound, a direct notification is sent to your smartphone or tablet. Also when your smartphone and tablet is in sleep mode. Now you can keep track of everything. Even from the other side of the world. Receive also push notifications when the built-in temperature sensor (EM6250HD and EM6270) detects a lower or higher temperature as desired.



Both detecting AND recording

When sound or movement is detected, the images are recorded and saved on an Micro SD card*. View the recorded images with the app. Therefore, an external recording device is not necessary.

** Micro SD card not included.*



5 Seconds pre-recording: critical moment is caught on camera

It is useful to know what happened before the alarm. The Easy Pro View IP Cameras have a 5 second pre-recording functionality. This means that the critical event always is caught* on camera.

** Requires Micro SD card.*



Two-way voice communication

The IP Cameras support two-way audio. Listen along with the images and speak back to people near the camera, even warn them with a siren with the built-in speaker.*

** EM6250 requires an external speaker set.*



Usable as baby monitor too

The Easy Pro View IP Cameras are more than surveillance cameras only. These cameras notify you when they are triggered by sound and temperature*. The built-in temperature sensor keeps track of the temperature in the nursery. So you can use it as a baby monitor too.

** EM6250HD and EM6270 are equipped with a temperature sensor.*



Easy Pro View IP Cameras



Technical specifications

	EM6270	EM6250HD	EM6250
Dimensions in mm. (WxHxD):	88x126x100	65x100x35	65x100x35
Weight in grams:	318	106	105
Power by external power supply:	DC 12V, 1A	DC 12V, 1A or DC 5V, 1A	DC 12V, 1A or DC 5V, 1A
Network interface: Ethernet 10BaseT/100BaseTX, Auto-MDIX, RJ-45	✓	✓	✓
Wireless interface: IEEE 802.11n 90 - 150 Mbps and WPS	✓	✓	✓
Security: Web management username/password protection WiFi WEP and WPA/WPA2 security mode	✓	✓	✓
Pan/Tilt: Pan viewing range 180° (-90° ~ 90°) Tilt viewing range 90° (0° ~ 90°)	✓	✗	✗
Image sensor: RGB VGA 1/4 inch CMOS, Day and night separate sensors, Automatic exposure control, Automatic white balance, Automatic gain control, Automatic brightness control	✓	✓	✓
Infrared thermometer: Range: -40 ~ 115 °C, accuracy:±0.5°C	✓	✓	✗
PIR sensor: Effective distance – 7 meters	✓	✓	✓
Field of view: 90 degree	✓	✓	✓
Focus range: 30 cm to infinity	✓	✓	✓
Day and night: separate lenses	✓	✓	✓
HD day and night lens	✓	✓	✗
Video compression: H.264, baseline profile level 3.1	✓	✓	✓
Video streaming: Separate frame rate/resolution/bandwidth settings for PC and mobile	✓	✓	✓
Video resolution: HD for PC: 1280x800, HD for Android & iOS 1024x768	✓	✓	✗
Video resolution: VGA(640x480), QVGA(320x240), QQVGA(160x120)	✓	✓	✓
Bandwidth: 64k, 128k, 256k, 512k, 768k, 1M, 1.2M, 1.5M, 2M	✓	✓	✗
Bandwidth: 64k, 128k, 256k, 512k, 768k, 1M, 1.2M, 1.5M	✓	✓	✓
Frame rate: 1~5, 10, 15, 20, 25, 30 fps	✓	✓	✓
Audio: Built-in microphone for audio monitoring, Speaker jack for external speaker Audio compression: G.711	✓	✓	✓
Internal speaker	✓	✓	✗
Web browsing: Built-in web server for standard web browser access Video display on IE browser, Video snapshot on any browser	✓	✓	✓
Supported protocols: IPv4, HTTP, TCP, ICMP, RTSP, RTP, UDP, RTCP, SMTP, SNMP, FTP, DHCP, ARP, DNS, PPPoE	✓	✓	✓
Video management software: Surveillance software for viewing and archiving up to 36 cameras	✓	✓	✓
Users: Up to 20 simultaneous unicast users (depends on video settings)	✓	✓	✓
Alarm and event management: Events triggered by PIR, motion and sound detection	✓	✓	✓
Alarm and event management: Events triggered by temperature	✓	✓	✗
Email/ftp alarm message, Push notification on iPhone/iPad and Android devices	✓	✓	✓
Operating conditions: 0-50 °C	✓	✓	✓
Humidity: 20 – 80% RH (non-condensing)	✓	✓	✓