



NEXTORCH

SAINT TORCH 30

5600-Lumen Ultra-Bright Direct-Charging Wide-Range Search Torch

red dot award 2018 winner




- Type-C Quick Charging
- 4x2600mAh Li-ion Battery Pack, able to charge smart devices
- Complete Accessories



One-button Control

Single Side Switch to realize multiple modes like momentary on, constant light and multi-mode exchange, etc

Momentary on

Lightly tap to reach the Turbo light mode

Mode Switching

Heavily press until hearing the "click" sound to enter the constant light mode, Turbo; Lightly push the switch to exchange modes from Turbo to high, medium, low and strobe.

S.O.S.

Turn on Saint Torch 30, hold for 3 seconds to enter

7 modes Meet All Kinds of Lighting Needs

Momentary on - Turbo - High - Medium - Low - Strobe - S.O.S.

5600 Lumen



Momentary on

5600 Lumen



Turbo

2500 Lumen



High

840 Lumen



Medium

105 Lumen



Low

5600 Lumen



Strobe

2500 Lumen



S.O.S.

As a Portable Power Bank

4x2600mAh Battery Pack with charging and discharging design, able to be used as a portable power bank to recharge your digital devices like mobiles and PADS



— Instructions —

LED mode

Power Saint Torch 30

USB mode

As a portable power bank

OFF mode

Avoid the power loss in transit

- LED: CREE* XHP 50B LED
- Modi: 5600 lm* / 2500 lm* / 840 lm* / 105 lm* / strobe / S.O.S
- Laufzeiten: 2 h 30 min / 3 h 30 min / 8 h 30 min / 60 h / -- / --
- Leuchtweite: 480 Meter*
- Wasserdicht: IPX-7 (1 Meter Tauchtiefe)
- Fallhöhe: 1 Meter
- Stromversorgung: 4 x 2600 mAh (14.8 V) aufladbarer Li-on Akku
- Abmessungen: 200 mm x 50 mm x 82 mm
- Gewicht: 728 g mit Akku
- Garantiezeit: 5 Jahre
- Ersatzteilversorgung: 15 Jahre garantiert.

Lieferumfang: wasserdichter Behälter, Schulterriemen, Netzteil, USB-C-Ladekabel, Nylon-Tragetasche, Bedienungsanleitung

TA15

One Step Strobe Tactical Flashlight
with Battery Universal Compatibility

NEXTORCH[®]
the smart light

600
LUMENS

VARI-SOURCE TECHNOLOGY



Compatible with CR123A, AA,
14500, 16340 batteries

ROTATIONAL MAGNETIC SWITCH



Circle through the various modes
with one hand operation

NANO-CERAMIC STRIKE BEZEL



Built-in round ceramic beads with
high hardness, effectively
break glass in a pinch

DUAL-FUNCTION TAIL CAP SWITCH



Light tap for momentary-on
or fully press for immediately
one step strobe

ANSI / PLATO FL1	Tactical Mode		Duty Mode			
	Momentary on	Tactical Strobe	Low	Medium	High	Constant Strobe
☀️ Light Output	600 Lumens	600 Lumens	50 Lumens	240 Lumens	600 Lumens	600 Lumens
🕒 Run Time	—	—	2 h 15 min	1 h	45 min	—
📏 Beam Distance	150 m					
🛡️ Impact Resistance	2 m					
🌧️ Waterproof	IPX-8, 2 m					
Specifications	Weights: 90 g (without battery) Dimensions: 127 mm (length) X22 mm (body) X 30 mm (Head diameter)					
Body Material	CREE® XP-L V6 LED Aerospace grade aluminum 6061-T6 Type-III hard anodized aluminum					
Accessories Included	Hand strap, waterproof O -ring, stainless pocket clip					

Technische Daten:

- Leuchtkraft: 600 / 240 / 50 ANSI-Lumen je nach Modi*
- Max. Leuchtweite: 185 Meter*
- Gehäuse: Luftfahrt Aluminium 6061-T6, Hart-Mantel Anodisierung nach Mil-Spec Type III
- Wasserdicht: IPX 8 (Wasserdicht bis zu 2 Meter Tauchtiefe)
- Stoßfest gemäß IPX 8

P5UV
White And Ultraviolet Ray DUAL-LIGHT USB Rechargeable Flashlight

NEXTORCH.
the smart light

red dot award 2016 winner

800 White LED Lumens 1000 Ultraviolet Ray mW

High Output, Single Reflector
Perfect Light Beam

- High output 2 color lighting
- Perfect spot and beam profile by a single reflector
- Patented 360° rotate shift for different light
- USB direct charging

Perfect beam profile with concentrated hotspot 800lm white light and 1000mW ultraviolet ray light through the very same reflector

P5UV
White And Ultraviolet Ray DUAL-LIGHT USB Rechargeable Flashlight

NEXTORCH.
the smart light

red dot award 2016 winner

Patented direct USB charging
Pull-out charge cap structure, stand up capable

P5UV
White And Ultraviolet Ray DUAL-LIGHT USB Rechargeable Flashlight

NEXTORCH.
the smart light

red dot award 2016 winner

Patented 360° rotate shift, providing an easy and smooth transition between different colors

P5UV
White And Ultraviolet Ray DUAL-LIGHT USB Rechargeable Flashlight

NEXTORCH.
the smart light

red dot award 2016 winner

Powered by one 18650 rechargeable Li-ion battery or two CR123A batteries for excellent runtime performance and safety

Patented DUO SWITCH design
Single switch for easy momentary activation or mode switching

DUO SWITCH
With click and tap functions
For easy momentary activation and mode switching

P5UV
White And Ultraviolet Ray DUAL-LIGHT USB Rechargeable Flashlight

NEXTORCH.
the smart light

red dot award 2016 winner

Patented 360° rotate shift, providing an easy and smooth transition between different colors

P5UV
White And Ultraviolet Ray DUAL-LIGHT USB Rechargeable Flashlight

NEXTORCH.
the smart light

red dot award 2016 winner

ANSI/NEMA FL1	10 Modes				
	Momentary (white/UV)	High (white/UV)	Low (white/UV)	Strobe (white/UV)	S.O.S. (white/UV)
Light Output	800lm / 1000mW	800lm / 1000mW	45lm / 105mW	800lm / 1000mW	100lm / 225mW
Run Time	—	3h38min / 5h37min	27h / 40h	—	—
Beam Distance	—		246m	—	
Impact Resistance	—		1m	—	
Waterproof	—		IPX-4	—	
Specifications	Weight: 185g / 6.55oz (without battery) Dimensions: 168mm (Length) x 26mm (Body Diameter) x 40mm (Head Diameter)				
Body Material	Aerospace grade aluminum 6061-T6 Sturdy HA military grade hard-anodized finish				
Accessories included	1*18650 Li-ion battery, Micro USB cable, 1" lanyard, 2" O-ring				



Technische Daten:

- LED's: Cree® XP-L V5 weiße LED 800 Lumen* Leuchtkraft
Cree® UV LED / 1.000mW - 405nm
- Leuchtweite: 246 Meter*
- Betriebsdauer: 23 Stunden*
- Stromversorgung: Li-Ionen-Akku (im Lieferumfang enthalten),
oder zwei CR123A Batterien (optional erhältlich)
- Wasserdicht: IPX-4 Standard
- Abmessungen: 168 x 40 x 26 mm
- Gewicht: 185 g (ohne Batterien oder Akku)
- Garantiezeit: 5 Jahre
- Ersatzteilversorgung: 15 Jahre garantiert.

Lieferumfang: 1x 18650 Li-ion Akku, USB-Kabel, Bedienungsanleitung

PA5



360° Rotate Focus Adjustable USB Rechargeable Flashlight

There is always a time where a quick shift of focus is needed. With the all new NEXTORCH RFA technology on board, PA5 offers a smooth transition of focus with a simple rotation, and a best in class beam spot. DUO SWITCH enables PA5 to quick mode shift. PA5 runs with 1 x 18650 or 2 x CR123A, and comes with low-profile well-hidden USB charging port with indicator.



NEXTORCH
Patented Fresnel Lens



USB Direct Charging Port

ANSI/PLATO FL 1



Technische Daten:

- LED: Cree XP-L (neutral-weiß)
- Fokussierbarer Beam
- Leuchtleistung: 660 ANSI-Lumen, 30 Lumen, Stroboskop und SOS
- Leuchtweite: 270 Meter (nach ANSI)
- Stromversorgung: 1 x 18650 Akku (enthalten!) oder 2 x CR123A
- Aufladbar über integrierten USB-Anschluss
- Stoßfest bis 1m Fallhöhe
- Wasserdicht: IPX4
- Durchmesser Kopf: 3,3 cm
- Länge: 14,5 cm
- Gewicht: 198 Gramm (mit Akku)

Lieferumfang: 1x 18650 Li-ion Akku, USB-Kabel, Bedienungsanleitung



**660
LUMENS**





UL12



Die neue NEXTORCH UL12 hat drei Leuchtstufen:

- 1 **Normales, weißes Licht**
mit 17 ANSI-Lumen und 8 Meter Leuchtweite
2. **Rotes Licht**
perfekt, für die Nachtsichtfähigkeit der Augen!
- 3 **Blau-und Rot-Blitz**
das ideale Signallicht!

Dank des robusten Halteclips kann die neue UL12 praktisch überall befestigt werden: An der Einsatzweste, MOLLE, an der Hemdtasche, oder an der Baseball-Cap.



Die UL12 ist wasserdicht, stoßfest und wird mit ganz normalen AAA-Batterien betrieben, mit denen sie auch noch besonders sparsam umgeht.

Über 3 Stunden kann die ultraleichte UL12 mit nur einer Batterieladung (2 Stück AAA-Batterien) am Stück Licht spenden.

Bei Unfällen kann die UL12 hervorragend als Signal-Lampe eingesetzt werden, das Blau-Rote Blinken der ist auch bei schlechten Witterungsverhältnissen weit sichtbar.

Technische Details:

- LED: Nichia 5mm LED
- Modi: 17 lm / 3 lm (rot) / 3 lm (rot/blau blinkend)
- Laufzeit: 3 h 30 min / 40 h / - / - / -
- Leuchtweite: 18 m
- Wasserdicht: IPX-4
- Schlagfestigkeit: 1m
- Stromversorgung: 2 x AAA (im Lieferumfang enthalten)
- Abmessungen: 32 mm x 48 mm x 54 mm
- Gewicht: 49,5 g ohne Batterie
- Lieferumfang: UL12 inklusive Clip, 2 AAA Batterien



K21

160
LUMENS



Die neue K21 von Nextorch ist eine kompakte und leistungsstarke Mini-LED-Lampe, die erstaunliche 70 Meter weit leuchtet. Für den Nahbereich, oder zum Lesen kann die K21 kinderleicht gedimmt werden. Dieser Leuchtzweig liefert dank einer Hochleistungs-LED echte 160 ANSI-Lumen Lichtstrom ab! Das Gehäuse der K21 ist aus gehärtetem Luftfahrt-Aluminium, was sie sehr widerstandsfähig macht. Für alle Fälle ist diese komfortable Mini-LED-Lampe sogar 100% wasserdicht! Betrieben wird die NEXTORCH K21 mit einer handelsüblichen AAA-Batterie, oder einem entsprechenden Akku.

Technische Daten:

- LED: CREE® XP-G3 S4 LED
- Modi: 160 lm / 55 lm / 7 lm
- Laufzeiten: 1h / 7 h 45 min / 14h
- Leuchtwerte: 70m (nach ANSI)
- Wasserdicht: IPX-7 (1m)
- Stromversorgung: 1 x AA
- Abmessungen: 79 mm x 18 mm x 19 mm;
- Gewicht: 35 g (ohne Batterie)

Lieferumfang: NEXTORCH K21, 1 Stück AA-Batterie, Bedienungsanleitung



Runs On One Easy-to-find AA Battery



Sturdy Stainless Steel Clip



Magnetic Tail Cap

Nextorch Saint Torch 30

Price: 279,00 EURO (UVP, inkl. MwSt.)

Nextorch TA15

Price: 69,90 EURO (UVP, inkl. MwSt.)

Nextorch P5UV

Price: 124,90 EURO (UVP, inkl. MwSt.)

Nextorch PA5

Price: 74,90 EURO (UVP, inkl. MwSt.)

Nextorch UL12

Price: 13,95 EURO (UVP, inkl. MwSt.)

Nextorch K21

Price: 22,95 EURO (UVP, inkl. MwSt.)

Mehr von Nextorch: www.new-tech-products.com/support/2018-Nextorch-Catalog.pdf

Please send your orders to: auftragsbearbeitung@ntp-gmbh.com

All prices are plus statutory VAT

Interested in more?

Here you can see an overview of the NTP-Assortments:
www.new-tech-products.com/products/pdf/NTP-Products-Overview.pdf

