



Warrior G4-LT FULL TACTICAL SERIES

2100 lumens | 450M

WARRIOR G4-LT EXTREMELY LONG THROW/TACTICAL

DUAL CHARGING SYSTEM (MAGNETIC + Micro USB)

HIGH OUTPUT / DUAL SWITCH SYSTEM



Warrior G4-FL FULL TACTICAL SERIES

1 x 18650 | 4200 lumens

WARRIOR G4-FL EXTREMELY POWERFUL/TACTICAL

DUAL CHARGING SYSTEM (MAGNETIC + Micro USB)

HIGH OUTPUT / DUAL SWITCH SYSTEM



Warrior 64-LT
FULL TACTICAL SERIES
2100 lumens | 45CM

**LOW PROFILE OUTLINE DESIGN
EASY TO OPERATE**

Low Battery/ Charging Indicator
Pocket Clip
Back Switch Main on/off
Side Switch
Battery Tube
Micro USB Charge Port
Head
Magnetic Charge Port

Warrior 64-FL
FULL TACTICAL SERIES
1x18650 | 420 lumens

**DUAL CHARGING SYSTEM (MAGNETIC + Micro USB)
EASY TO USE, CONVENIENT.**

MICRO USB CHARGE PORT
MAGNETIC CHARGE PORT
RED LOW VOLTAGE INDICATOR BATTERY CHARGING NOT FULL
BLUE BATTERY CHARGING FULL

Warrior 64-LT
FULL TACTICAL SERIES
2100 lumens | 45CM

**DIAMOND KNURLING:
EXTREMELY GRIP**

Warrior 64-FL
FULL TACTICAL SERIES
1x18650 | 420 lumens

SMART SIZE: EASY TO CARRY

36.5mm (Head Diameter)
151.9mm (Length)
25.4mm (Body Diameter)

Size:
Head Diameter: 36.5mm
Body Diameter: 25.4mm
Length: 151.9mm
Weight: 152g (Without Battery)

Warrior 64-LT
FULL TACTICAL SERIES
2100 lumens | 45CM

UNIQUE DIGITAL CIRCUIT TECHNOLOGY

- Unique LED Driving System
- Intelligent High Output Technology
- Unique Thermal Protection System
- Unique Dual Charging System (Magnetic + Micro USB)
- Over Current Protection
- Over Charging Protection
- Over Discharging Protection
- Reverse Polarity Protection

Warrior 64-FL
FULL TACTICAL SERIES
1x18650 | 420 lumens

UNIQUE DIGITAL CIRCUIT TECHNOLOGY

- Unique LED Driving System
- Intelligent High Output Technology
- Unique Thermal Protection System
- Unique Dual Charging System (Magnetic + Micro USB)
- Over Current Protection
- Over Charging Protection
- Over Discharging Protection
- Reverse Polarity Protection

Warrior 64-LT
FULL TACTICAL SERIES
2100 lumens | 45CM

**CREE XHP35 HI LED
LIFETIME: ≥ 50000HRS**

Warrior 64-FL
FULL TACTICAL SERIES
1x18650 | 420 lumens

**CREE XHP70 LED
LIFETIME: ≥ 50000HRS**

Warrior G4-LT
FULL TACTICAL SERIES
2100 Lumen | 45CM

SPECIFICATION-Warrior G4-LT

ANSI/NEMA FL1		PL1 STANDARD LUMENS	PL1 STANDARD 00h	PL1 STANDARD 6000cd	PL1 STANDARD 900m	PL1 STANDARD 0m	PL1 STANDARD 00m
Mode	Max Output	Run Time 18650-3200mAh (3.6V)*1		Beam Intensity	Beam Distance	Impact Resistant	Water Resistant
Turbo	2100LM	1.25hrs		50625 CD	450 M	2 M	IPX-8 (2M)
High	1060LM	1.32hrs					
Medium	276LM	4.67hrs					
Low	77LM	15.4hrs					
Firefly	0.6LM	70Days					
Strobe	780LM	3.12hrs					

Warrior G4-FL
FULL TACTICAL SERIES
1x18650 | 4200 Lumen

SPECIFICATION-Warrior G4-FL

ANSI/NEMA FL1		PL1 STANDARD LUMENS	PL1 STANDARD 00h	PL1 STANDARD 6000cd	PL1 STANDARD 900m	PL1 STANDARD 0m	PL1 STANDARD 00m
Mode	Max Output	Run Time 18650-3200mAh (3.6V)*1		Beam Intensity	Beam Distance	Impact Resistant	Water Resistant
Turbo	4200LM	1.23HRS		11449CD	214 M	2 M	IPX-8 (2M)
High	1430LM	1.26HRS					
Medium	333LM	5.06HRS					
Low	95LM	15HRS					
Firefly	0.721LM	66Days					
Strobe	830LM	3.05HRS					



PowerTac Warrior G4-LT

- LED Type: Cree XHP35 HI LED, up to 50000 hrs. lifetime
- LED Color Temperature: 6500k
- Working Voltage: 2.5V-6V
- Battery Type: 1 x 18650 High Drain Li-ion Battery or 2 x CR123A
- Reflector: Mirror Reflector
- Lens: Tempered Glass with Double Coating
- Switch: Dual Switch System: Side Switch & Tail Switch
- Dimensions: 36.5mm (Head Dia.) x 25.4mm (Body Dia.) x 151.9mm (L)
- Weight: 152g (without Battery)
- Material: 6061-T6 Aircraft Aluminium
- Surface Treatment: Mil-Spec HAIII Anodizing
- Waterproof: IPX8
- Impact Resistance: 2m

Price: 129,99 EURO (UVP, inkl. MwSt.)

PowerTac Warrior G4-FL

- LED Type: Cree XHP70 LED, up to 50000 hrs. lifetime
- LED Color Temperature: 6500k
- Working Voltage: 2.5V-6V
- Battery Type: 1 x 18650 High Drain Li-ion Battery or 2 x CR123A
- Reflector: Orange Peel Reflector
- Lens: Tempered Glass with Double Coating
- Switch: Dual Switch System: Side Switch & Tail Switch
- Dimensions: 36.5mm (Head Dia.) x 25.4mm (Body Dia.) x 151.9mm (L)
- Weight: 152g (without Battery)
- Material: 6061-T6 Aircraft Aluminium
- Surface Treatment: Mil-Spec HAIII Anodizing
- Waterproof: IPX8
- Impact Resistance: 2m

Price: 149,99 EURO (UVP, inkl. MwSt.)

Hier der komplette Katalog von Powertac: www.new-tech-products.com/support/Powertac_2019_catalog_small.pdf

Please send your orders to: auftragsbearbeitung@ntp-gmbh.com

All prices are plus statutory VAT

Interested in more?

Here you can see an overview of the NTP-Assortments:
www.new-tech-products.com/products/pdf/NTP-Products-Overview.pdf



Best Regards