

Hier ein paar ausgewählte Modelle, aber es gibt noch viele, viele mehr:
www.new-tech-products.com/support/PLATINET_CATALOG_LAMPS_small.pdf



PLATINET

PDLU13BR

3000K-6000K



BUSINESS LED LAMP

LED DESK LAMP
 Date & Time
 Snooze Function
 Temperature
 USB Charger



SIZE: 140x183x605mm
 WEIGHT: 840g

LEATHER STRUCTURE
USB CHARGING PORT



AC	CLASS I	ONVIA
25.000h	3000K 6000K	36 LED DIODE LIGHTS
CLASS III	14W MAX POWER	MAX 3500lm
IP20 PROTECTION	120° ANGLE	+0,5h
+0,5h	ON/OFF	PF >0,5
-20°C to +50°C	>80 Ra	NON-FLICKER
MINIMAL DISTANCE 0,1m		
LM SCALE 12, 71, 207, 270, 350 LM		

PDLU13BR



5 907595 442282

MODERN LED DESK LAMP

PDLQ10

AC 100-240V	CLASS I	8V/1A
35000h LIFE EXPECTANCY	5500K COLOR TEMPERATURE	28 LED SMD LED QUANTITY
CLASS III	6W MAX POWER	MAX 2031m MAX REACH
IP20 PROTECTION	120° ANGLE	ON/OFF CONTROL
<0,5s ON/OFF	x15 000 ON/OFF	PF >0,4 POWER FACTOR
-20° to +40° TEMPERATURE RANGE	>80 Ra CRI	FICKER-FREE



3-STEP DIMMER
TOUCH CONTROL
FLEXIBLE FRAME
CHARGER INCLUDED



5500K



COLOR TEMPERATURE



LM SCALE
27, 108, 200 LM

2in1

DESK & BEDSIDE TABLE
COLORFUL
LIGHT LAMP



5 907595 435987



MINIMAL DISTANCE

MODERN LED DESK LAMP

PDLKS065W

3-STEP MODE
TOUCH CONTROL
FLEXIBLE FRAME
CHARGER INCLUDED

Size: 180x420x320mm
Weight: 660g



FOLDING DESIGN




2800K-9000K



COLOR TEMPERATURE RANGE

AC 100-240V	CLASS II	12V/0,6A
30 000h LIFE EXPECTANCY	2800K 9000K COLOR TEMPERATURE	60 LED SMD LED QUANTITY
CLASS III	6W POWER	MAX 308cm MAX REACH
IP20 PROTECTION	120° ANGLE	ON/OFF CONTROL
<0,5s ON/OFF	x80 000 ON/OFF	PF >0,5 POWER FACTOR
0° to +40° TEMPERATURE RANGE	>80 Ra CRI	FICKER-FREE



MINIMAL DISTANCE

PDLK065W



5 907595 443937

MODERN LED DESK LAMP

3-STEP MODE
TOUCH CONTROL
FLEXIBLE FRAME
CHARGER INCLUDED

LM SCALE
200, 240, 270 LM

Size: 400x139x370mm
Weight: 1010g



- Sleeping
- Reading
- 60min
- Natural



PDLKS091S



2700K-5500K



AC 100-240V	CLASS II	12V/1.5A
30,000h	2700K 5500K COLOR TEMPERATURE	60 LED SMD 1005 LED QUANTITY
CLASS III	17W (7W LED) + 10W (charger) MAX POWER	MAX 270cm
IP20 PROTECTION	120° ANGLE	<0,5s icon"/> <0,5s
<0,5s	ON OFF x80 000	PF >0,5 POWER FACTOR
0°-40° TEMPERATURE RANGE	>80 Ra CRI	INCORVERTIBLE
0,4m MINIMAL DISTANCE		

PDLKS091S



MODERN LED DESK LAMP

3-STEP MODE
TOUCH CONTROL
FLEXIBLE FRAME
CHARGER INCLUDED

Size: 155x328x276mm
Weight: 393g



PDLK6700W

2800K-6800K



AC 100-240V	CLASS II	5W/1A
30,000h	2800K 6800K COLOR TEMPERATURE	40 LED SMD 1105X LED QUANTITY
CLASS III	3W POWER	180cm
IP20 PROTECTION	120° ANGLE	<0,5s
<0,5s	ON OFF x80 000	PF >0,5 POWER FACTOR
0°-40° TEMPERATURE RANGE	>80 Ra CRI	INCORVERTIBLE
0,4m MINIMAL DISTANCE		

PDLK6700W



MODERN LED DESK LAMP

3-STEP MODE
TOUCH CONTROL
FLEXIBLE FRAME
CHARGER INCLUDED

Size: 184x369x214mm
Weight: 353g



PDLK6703W

2800K-7000K



AC 100-240V 50/60Hz	CLASS II	5W/1A
30 000h	2800K 7000K COLOR TEMPERATURE	40 LED SMD 2835 LED QUANTITY
CLASS III	3W POWER	180lm
IP20 PROTECTION	120° ANGLE	<0,5s
<0,5s	ON OFF	PF >0,5 POWER FACTOR
0° - +40° TEMPERATURE RANGE	>80 Ra CRI	NON-CONVERTIBLE
0,4m MINIMAL DISTANCE		

PDLK6703W



LED DIMMABLE DESK LAMP

PDLH10QBR

WITH Qi WIRELESS CHARGING PAD

Wireless charger for smartphone
5-grade brightness touch dimmer
3-Color temperature mode
Color changing night lamp
Touch sensitive control



2800K-5500K



AC 100-240V 50/60Hz	CLASS II	12W/1.5A
35 000h	2800K 5500K COLOR TEMPERATURE	45 LED SMD 2835 LED QUANTITY
CLASS III	18W MAX POWER	MAX 300lm
IP20 PROTECTION	120° ANGLE	<0,5s
<0,5s	ON OFF	PF >0,5 POWER FACTOR
-20° - +40° TEMPERATURE RANGE	>80 Ra CRI	NON-CONVERTIBLE
0,1m MINIMAL DISTANCE	5-STEP MODE	CONTACT CONTROL

PDLH10QBR



PLATINET

BLOW LED LAMP

FLAME FLICKERING
BRIGHTNESS ADJUSTABLE

3000K
COLOR TEMPERATURE

AC	CLASS II	SWITCH
3000h	3000K	3 LED SMD
CLASS III	0,4W	MAX SET
IP20	120°	$\leq 5s$
$\pm 0.5s$	ON/OFF	PF >0,5
$-20^{\circ}C$	>80 Ra	RECYCLABLE
$\leq 0,1m$	90°	USB



GLASS BASE LED DESK LAMP

PDLX14S

DUAL POWER SOURCE

Ideal for study, reading, office
Special RGB glass base
Dimmable - 3 brightness levels
Colorful atmosphere lamp
Charger included
Sleek design



4000K
COLOR TEMPERATURE



AC	CLASS II	SWITCH
3000h	4000K	30 LED SMD
CLASS III	6W	MAX 180cm
IP20	120°	$\leq 5s$
$\pm 0,5s$	ON/OFF	PF >0,5
$-20^{\circ}C$	>80 Ra	RECYCLABLE
$\leq 0,1m$	Eye	USB

PDLX14S



DESK LAMP

Modern and stylish design that will make your interior unique. Ideal for many types of rooms. Type of light bulbs: E14. Supply voltage: - 220-240 [V].

EN DESK LAMP

Platinet PTL2530G is a stylish desk lamp made of wood and metal. It is a perfect solution for classic and modern interiors.

KEY FEATURES

A stylish case made of wood and metal. High quality. Compatible with E14 type bulbs.

TECHNICAL SPECIFICATIONS

Bulbs: E14 thread, max power 25W (not included)
Execution: metal + wood
Total height 30 cm
The diffuser: φ11 cm * H13cm
The base: φ12 cm

PTL2530G



DIMENSIONS:
30x13cm

BULB TYPE	
E14	
150cm	25W
CABLE LENGTH	MAX

PTL2530G



platinet

DESK LAMP

Modern and stylish design that will make your interior unique. Ideal for many types of rooms. Type of light bulbs: E14. Supply voltage: - 220-240 [V].

EN DESK LAMP

Platinet PTL2537 is a practical desk lamp, which casing and lampshade were made of metal. Ideal for learning, as well as for subdued, delicate interior lighting.

KEY FEATURES

Metal base and lampshade. High quality. Compatible with E14 light bulbs.

TECHNICAL SPECIFICATIONS

Light bulbs: E14, power max. 25W (not included)
Housing: metal
Power cable: 1.5 m
The diameter of the lampshade: 9.5 cm
The height of the lampshade: 11.5 cm
Diameter of the base: φ16.5 cm
Height of the base: 2.2 cm
Total height: 37 cm


PTL2537



DIMENSIONS:
37x16,5cm

BULB TYPE	
E14	
150cm	25W
CABLE LENGTH	MAX

PTL2537W



PTL2537B



platinet

DESK LAMP

Modern and stylish design that will make your interior unique. Ideal for many types of rooms. Type of light bulbs: E14. Supply voltage: ~ 220-240 [V].

EN DESK LAMP

Platinet PTL2524B desk lamp stands out with a stylish lampshade, which ideally suits modern, elegant interiors.


KEY FEATURES

Metal base and lampshade
High quality
Compatible with E14 bulbs

TECHNICAL SPECIFICATIONS

Light bulbs: E14, max power: 40W (not included)
Housing: metal
Power cord: 1.5 m
The diameter of the lampshade: \varnothing 12 cm
The height of the lampshade: 24 cm

PTL2524B



DIMENSIONS:
24x12cm

BULB TYPE	
E14	
150cm	40W
CABLE LENGTH	MAX

PTL2524B



platinet

DESK LAMP

Modern and stylish design that will make your interior unique. Ideal for many types of rooms. Type of light bulbs: E27. Supply voltage: ~ 220-240 [V].

EN DESK LAMP

Platinet PTL2529B desk lamp stands out with a stylish lampshade, which ideally suits modern, elegant interiors.

KEY FEATURES

Metal base and lampshade
High quality
Compatible with E27 bulbs

TECHNICAL SPECIFICATIONS

Bulbs: E27, max power: 40W (not included)
Housing: metal, plastic
The diameter of the lampshade: \varnothing 18 cm
Diameter of the base: \varnothing 9.5 cm
Height: 29 cm

PTL2529B



DIMENSIONS:
29x18cm

BULB TYPE	
E27	
150cm	40W
CABLE LENGTH	MAX

PTL2529B



platinet

MOSQUITO KILLER LAMP

with LED light and battery

PMKL6500

2 in 1
OUTDOOR
RECHARGABLE



PL LAMPKA Z ELEKTRYCZNĄ PUŁAPKĄ NA KOMARY
Funkcyjna lampka z elektryczną pułapką na komary. Dzięki wbudowanej baterii, można używać jej bez konieczności podłączania do prądu. Urządzenie może pracować w trybie lampki oświetlającej otoczenie, w trybie zwalczania komarów lub jednocześnie oświetlając otoczenie i zwalczając owady.

SPECYFIKACJA TECHNICZNA
Moc: 5W (lampa) 2W (odstraszacz komarów 2W)
Wykonanie: Materiał ABS+PC
Diody LED: SMD2835
Napięcie sieciowe: 1000V
Strumień świetlny: 70LM
Pojemność baterii: 2000 mAh, litowa
Wejście: USB DC5V 1000mAh
Czas pracy: 7 godzin (lampa), 6 godzin (pułapka na komary), 5 godzin (lampa i pułapka)
Czas ładowania baterii: 2,5 godziny
Klasa szczelności: IP44
Obszar zasięgu: 30-40m²

EN 2 IN 1 LED LAMP AND MOSQUITO KILLER BULB
Functional lamp with an electric mosquito killer. Thanks to the built-in battery, it can be used outdoors without connecting to electricity. The device can work in the lighting mode, mosquito killer mode or in these two modes at the same time.

TECHNICAL SPECIFICATIONS
Power: 5W (Lighting 2W, Mosquito Killing 2W)
Material: ABS+PC
LEDs: SMD2835
Grid voltage: 1000V
Lumen: 70 LM
Battery capacity: 2000 mAh, lithium
Input voltage: USB DC5V 1000 mAh
Work time: 7h for only lighting, 6h for only killing, 5h for both on
Charging time: 2,5h
Protection class: IP44
Area of coverage: 30-40m²



PDLX14B

GLASS BASE LED DESK LAMP

DUAL POWER SOURCE

Ideal for study, reading, office
Special RGB glass base
Dimmable - 3 brightness levels
Colorful atmosphere lamp
Charger included
Sleek design



4000K
COLOR TEMPERATURE

AC 100-240V	CLASS II	RoHS
35 000h	4000K	30 LED LAMP LIFE
CLASS III	6W	MAX. 3000h
IP20 PROTECTION	120° ANGLE	<0.5h
<0.5h	ON/OFF	PF >0.5
-20°C to +50°C	>80 Ra	NON-TOXIC
<0.1m	FLICKER FREE	EMERGENCY BACKLIGHT

PDLX14B



PDLX14S



Perfect Makeup

Cosmetic Mirror with LED Lighting
+ Smaller, Magnifying Mirror



Perfect Makeup

Forget about bad lighting that makes makeup impossible. LED lighting in our mirror will brighten your face and allow you to see more details.

PMLY19

COSMETIC MIRROR WITH LED LIGHTING
PLATINET PMLY19 is a cosmetic mirror with LED light with adjustable light intensity. Adjustable stand allows for greater mirror placement.

WITH MORE ACCURACY
The set also includes a smaller, magnifying mirror.

PRECISE MAKEUP
Forget about insufficient or inadequate lighting preventing the make-up of perfect makeup. On the entire frame surrounding the mirror, LED lighting that will brighten your face and allow you to see more details.


ACCESSED TO YOUR NEEDS
At the bottom of the mirror, there is a touch button whose short touch activates or deactivates the lighting, while the longer, 5-second holding allows you to adjust its brightness.

ANYWHERE
The PLATINET PMLY19 cosmetic mirror contains a 1200 mAh battery that allows you to work independently of the presence of electrical sockets. To recharge the battery you will use a microUSB connector, so you can charge it with a traditional smartphone charger.

CONVENIENT ADJUSTMENT
Cosmetic mirror PLATINET PMLY19 is equipped with a comfortable stand that allows adjustment at an angle of 170 degrees.

TECHNICAL SPECIFICATIONS
Dimensions: 118x73x300 mm
Weight: 500g
Material: ABS + PS + glass
Lighting: 35 bulbs COB 5,0W LED, 120 lumens, 3W
CRI = 90
Color temperature: 2600-3200K (natural light) and 5000-6000K (extra light)
Battery: 1200 mAh, Lithium
Power supply: MicroUSB, 5V, 1A
RE: PMLY19 mirror: USB cable, manual

Battery: 1200mAh, Lithium
Lighting: 80lumens, 4W
Power: microUSB, 5V, 1A
Light Intensity Control



LED
Cosmetic Mirror with LED Lighting

Platinet Desk Lamps

PDLU13BR

Price: 33,00 EURO (UVP 49,90 Euro, inkl. MwSt.)
EAN: 5907595442282

PDLQ10B

Price: 22,00 EURO (UVP 34,90 Euro, inkl. MwSt.)
EAN: 5907595443470 black
EAN: 5907595443487 pink
EAN: 5907595443494 blue

PDLKS065W

Price: 29,00 EURO (UVP 44,90 Euro, inkl. MwSt.)
EAN: 5907595443937

PDLKS091S

Price: 33,50 EURO (UVP 54,90 Euro, inkl. MwSt.)
EAN: 5907595443944

PDLK6700W

Price: 15,00 EURO (UVP 24,90 Euro, inkl. MwSt.)
EAN: 5907595443951

PDLK6703W

Price: 15,00 EURO (UVP 24,90 Euro, inkl. MwSt.)
EAN: 5907595443968

PDLH10QBR

Price: 53,00 EURO (UVP 84,90 Euro, inkl. MwSt.)
EAN: 5907595446082

PDLZ2CGL

Price: 18,50 EURO (UVP 29,90 Euro, inkl. MwSt.)
EAN: 5907595446099 gold
EAN: 5907595447621 black
EAN: 5907595447638 red
EAN: 5907595447645 grey

PDLX14S

Price: 22,00 EURO (UVP 34,90 Euro, inkl. MwSt.)
EAN: 5907595446716

PTL2530G

Price: 15,50 EURO (UVP 24,90 Euro, inkl. MwSt.)
EAN: 5907595448734

PTL2537W

Price: 13,00 EURO (UVP 19,90 Euro, inkl. MwSt.)
EAN: 5907595448741

PTL2524B

Price: 10,50 EURO (UVP 16,90 Euro, inkl. MwSt.)
EAN: 5907595448765

PTL2529B

Price: 14,00 EURO (UVP 22,90 Euro, inkl. MwSt.)
EAN: 5907595448789

PMKL6500

Price: 16,50 EURO (UVP 26,90 Euro, inkl. MwSt.)
EAN: 5907595448901

PTL2537B

Price: 13,00 EURO (UVP 19,90 Euro, inkl. MwSt.)
EAN: 5907595448918

PDLX14B

Price: 22,50 EURO (UVP 34,90 Euro, inkl. MwSt.)
EAN: 5907595448925

PMLY19

Price: 22,50 EURO (UVP 34,90 Euro, inkl. MwSt.)
EAN: 5907595449069

Please send your orders to: auftragsbearbeitung@ntp-gmbh.com

All prices are plus statutory VAT

Interested in more?

Here you can see an overview of the NTP-Assortments:
www.new-tech-products.com/products/pdf/NTP-Products-Overview.pdf

